



[SEQ CHAPTER \h \r 1]UNITED STATES ENVIRONMENTAL PROTECTION
AGENCY
Region 1
5 Post Office Square, Suite 100
BOSTON, MA 02109-3912

**By Electronic Mail and Hard Copy ([SEQ CHAPTER \h \r 1]Certified Mail - Return
Receipt Requested)**

William J. Betters, P.G., L.S.P.
Director of Environmental Services
CDW Consultants
40 Speen Street Suite 301
Framingham, MA 01701

Re: Monitoring for NPDES Permit No. MA0003590
MBTA Commuter Rail Maintenance Facility:
70 Rear 3rd Avenue, Somerville, MA 02143

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

EPA looks forward to working with you on this request and your reissued permit. If you have any questions concerning the required information requested above, please contact me at (617) 918-1586 or Undine Kipka of my staff at (617) 918-1335.

Sincerely,

Damien Houlihan
Supervisory Environmental Engineer
Office of Ecosystem Protection
USEPA Region I – New England

cc (by electronic copy):

Undine Kipka, EPA
Cathy Vakalopoulos, MassDEP
Joe Nerden, MassDEP
Clary Coutu, Keolis
Janis Kearney, MBTA